Anti Aging Cream Cleanser

SC-1064



Creamy and conditioning with gentle exfoliation, this anti-aging cleanser leaves the skin smooth, rejuvenated and clean.

SustOleo® 1822 Cationic conditioning agent and emulsifier.

SustOleo® DCS Light and powdery emollient for a soft and powdery after feel.

SustOleo® BA Solid texturizer and structuring agent.

SustOleo® GMS Co-emulsifier for enhancing stability.

Phase	Trade Name	Ingredient (INCI)	(w/w)%
Α.	Deionized Water	Deionized Water	67.8
	SustOleo 1822 ¹	Brassicamidoproyl Dimethylamine	2.0
	Glycerin	Glycerin	3.0
	Aspartic Acid	Aspartic Acid	0.7
	Lexaine C ¹	Cocamidopropyl Betaine	5.0
	Lexgard O ¹	Caprylyl Glycol	1.0
В.	SustOleo DCS ¹	Dicapryl Succinate	10.0
	SustOleo BA1	Brassica Alcohol	7.0
	SustOleo GMS ¹	Glyceryl Stearate	3.0
C.	Salicylic Acid	Salicylic Acid	0.5
	PhytoTrace™ Lemon Verbena²	Lippia Citriodora (Lemon Verbena) Leaf Extract (and) Aqua/Water (and) Glycerin (and) Citric Acid (and) Potassium Sorbate (and) Sodium	4.0
	Florabeads Jojoba ³	Benzoate	1.0
¹ INOLEX ² INOLEX Provence ³ Floratech		Jojoba Esters Total	3.0 100.0

PROCEDURE:

- 1. Combine Phase A ingredients and heat to 80°C.
- 2. Hold at temperature for 30 minutes while mixing.
- 3. Heat Phase B ingredients 80C, and add to phase A.
- 4. Begin cooling and mix until room temperature.
- 5. Add Phase C ingredients one at a time and mix until uniform.

STABILITY:

45 and 50°C (4 weeks)

F/T -4/+50°C (3 cycles)

PROPERTIES:

Creamy emulsion with scrub beads

Date: 3/16 Ref: 617-017

Inolex and its marketing subsidiaries, affiliates, partners and suppliers, disclaim responsibility for results of use of the Materials or of any product, method, or apparatus mentioned herein. Nothing stated herein is to be considered a recommendation or inducement of any use, manufacture or sale that may infringe any patents or any other proprietary rights now or hereafter in existence. The Materials are intended to act as a guide for use at your discretion and risk. We assume no liability in connection with the use, or the utilization of the Materials or the methods or products described therein. Information pertaining to availability, pricing and technical assistance for these products can be obtained from the marketing department, through the nearest sales representative or authorized distributor. Copyright© 2002 INOLEX. All Rights Reserved.