



## BODY LOTION 6115K

### Formula

<b>A</b>	<ul style="list-style-type: none"><li>• <b>MONTANE 60</b> (<i>Sorbitan stearate - SEPPIC</i>)</li><li>• <b>MONTANOX 60DF</b> (<i>Polysorbate 60 - SEPPIC</i>)</li><li>• <b>LANOL 1688</b> (<i>Cetearyl Ethyl hexanoate - SEPPIC</i>)</li><li>• Ethylhexyl palmitate</li><li>• <b>LANOL 14 M</b> (<i>Myreth-3 myristate - SEPPIC</i>)</li><li>• Cetyl alcohol</li></ul>	2,50 % 2,50 % 12,00 % 3,00 % 2,00 % 0,30 %
<b>B</b>	<ul style="list-style-type: none"><li>• Water</li></ul>	QSP 100%
<b>C</b>	<ul style="list-style-type: none"><li>• <b>SEPIGEL 305</b> (<i>Polyacrylamide/C13.14 Isoparaffin/Laureth-7 - SEPPIC</i>)</li></ul>	1,50 %
<b>D</b>	<ul style="list-style-type: none"><li>• Perfume</li><li>• SEPICIDE HB (<i>Phenoxyethanol/Methylparaben/Ethylparaben / Propylparaben/Butylparaben - SEPPIC</i>)</li><li>• SEPICIDE CI (<i>Imidazolidinyl urea - SEPPIC</i>)</li></ul>	0,20 % 0,50 % 0,20 %

### Procedure

Heat separately A to 70°C and B to 75°C then emulsify A in B (or B in A). Add C at about 60°C and D when cooled down to 30°C.

### Comments

#### **MONTANE /MONTANOX 60**

An emulsifying pair which gives very fine and stable emulsions with a light texture. MONTANOX 60DF is a purified polysorbate.

#### **LANOL 14 M**

Consistency factor.

#### **SEPIGEL 305**

An emulsifying and viscosifying agent in a liquid form very easy to handle. It requires neither preliminary mixing nor neutralisation. It improves onctuousity of emulsions.

### Characteristics

Appearance	White lotion.
Viscosity	11,000 mPas BROOKFIELD LVT 6rpm
pH	7



## Notes

Perfume: NEW TOP ANNA PN 002308 (QUEST)

Ethylhexyl palmitate (supplied by SEPPIC in some countries ; ask us).

### 6115K – A0201

***Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.***