



MASSAGE GEL 6327A

Formula

A	<ul style="list-style-type: none">• SEPIGEL 305 (Polyacrylamide/C13-14 Isoparaffin/Laureth-7/SEPPIC)• Cetearyl octanoate	03,00 % 04,00 %
B	<ul style="list-style-type: none">• Water	30,00 %
C	<ul style="list-style-type: none">• SEPICIDE HB (Phenoxyethanol/Methylparaben/Ethylparaben/Propylparaben/Butyl paraben - SEPPIC)• SEPICIDE CI (Imidazolidinyl urea - SEPPIC)• Perfume• Colour	00,30 % 00,20 % 00,05 % QS
D	<ul style="list-style-type: none">• MICROPEARL SQH (Polymethyl methacrylate/Squalane - SEPPIC)	05,00 %

Procedure

Add B into A while stirring until the gel becomes homogeneous. Then add successively the constituents of C and D.

Comments

SEPIGEL 305 A gelling agent which is easy to use needing neither preliminary swelling nor neutralisation. It has a soft, non sticky feel. It does not dehydrate and is used to emulsify the cetearyl octanoate.

MICROPEARL SQH Microparticles containing squalane which is liberated by the massaging action.

Characteristics

Appearance A pale pink coloured gel which contains white particles.
Viscosity 100 000 mPas LVF (BROOKFIELD S4 6rpm)
pH Approximately 6.5
Stability > 1 month at room temperature, 37°C and 50°C.

Notes

Perfume: NEW TOP ANNA PN002308 (QUEST)
Colour: Rouge 320-12 (1%) 3 drops/kg

6327A - A9502

Since the proposed formulation has not undergone a toxicological study, the handling and use of the proposed products are given as an indication only and in no way bind SEPPIC's responsibility.