



## COCOON VEIL 7099 C

**This formula demonstrates the sensorial profile and the emulsifying – stabilizing properties of SIMULGEL™ SMS 88.**

### Formula

<b>A</b>	<ul style="list-style-type: none"><li>• <b>SIMULGEL™ SMS 88</b> (<i>nom INCI proposé : Polyacrylate-X &amp; Isohexadecane &amp; Polysorbate 60 - SEPPIC</i>)</li><li>• Lanol 99 (<i>Isononyl Isononanoate - SEPPIC</i>)</li></ul>	3.00 % 5.00 %
<b>B</b>	<ul style="list-style-type: none"><li>• Demineralised water</li></ul>	QSP 100 %
<b>C</b>	<ul style="list-style-type: none"><li>• Phenoxyethanol and Ethylhexyl Glycerin</li></ul>	1.00 %
<b>D</b>	<ul style="list-style-type: none"><li>• Fragrance</li></ul>	0.10 %

### Procedure (Trimix 6kg)

Add SIMULGEL™ SMS 88 into the ester (part A). Prepare and pour B in the main tank, add A. Start the agitation at sufficient speed for 10'. Introduce part C, homogenize 5' under vacuum vessel. Then, add D and homogenize for 5' under vacuum vessel.

### Comments

**SIMULGEL™ SMS 88**      Liquide ready to use polymer, thickening in a wide pH range (3-10), with an excellent emulsifying and stabilizing power. It provides a white aspect with a rich and comfortable feeling. SIMULGEL™ SMS 88 is dedicated to Cocoon-like formulas.

### Characteristics

Aspect	White cream-gel
pH	6.7
Viscosity at room temperature	69000 mPa.s BROOKFIELD LV4 6rpm
Stability	> M3 at room temperature & 45°C

SEPPIC SA  
33(0) 1 40 62 55 55

Givaudan Lavitrotte SA  
33(0) 4 78 61 55 00

SEPPIC Inc  
1 973 882 5597

SEPPIC China  
86(21) 64 66 01 49

SEPPIC UK Ltd  
44 208 577 8800

SEPPIC GmbH  
49(0) 220 3890 3100

SEPPIC Italia Srl  
39 02 38009110

SEPPIC Belgium NV  
32 3 250 3911



## Notes

PHENOXYETHANOL AND ETHYLHEXYL GLYCERIN : EUXYL PE 9010 (SCHULKE & MAYR)

Fragrance: Fleur de Cacao (APF)

### 7099 C – SEPPIC – 0108

*Since this formula has not been the object of a toxicological study, the use and handling of the products proposed is purely indicative and SEPPIC accepts no responsibility for their use by another party.*

**SEPPIC SA**  
33(0) 1 40 62 55 55

**Givaudan Lavitrotte SA**  
33(0) 4 78 61 55 00

**SEPPIC Inc**  
1 973 882 5597

**SEPPIC China**  
86(21) 64 66 01 49

**SEPPIC UK Ltd**  
44 208 577 8800

**SEPPIC GmbH**  
49(0) 220 3890 3100

**SEPPIC Italia Srl**  
39 02 38009110

**SEPPIC Belgium NV**  
32 3 250 3911