


**SEPPIC**

EU07233

*fantasy*  
Paradox

Gel



- Fluid black shower gel with gold pigments and black exfoliating particles
- Presentation : Bottle
- Exit the ordinary – a new sensorial experience
- Use it with passion – black with gold sparkles livens up any shower. Perfect particle suspension thanks to SEPIMAX™ ZEN!
- PROTEOL™ APL creates ample white, luxurious foam
- AQUAXYL™ hydrates and restructures the skin
- SOLAGUM™ AX's Acacia lends her veil of silky softness
- Sulfate and Paraben free formula

**BLACK & GOLD SHOWER GEL,  
SMART TEXTURE****Formula**

A	Aqua / Water Disodium EDTA Acrylates & C10-30 Alkyl Acrylate Crosspolymer	50.00% 0.10% 0.30%
B	SEPIMAX™ ZEN	1.50%
C	Glycerin SOLAGUM™ AX	1.50% 0.50%
D	ORAMIX™ L30 PROTEOL™ APL ORAMIX™ CG110 ORAMIX™ NS10	15.00% 8.00% 1.00% 14.00%
E	AQUAXYL™ Methylisothiazolinone & Iodopropynyl Butylcarbamate	3.00% 0.20%
F	Polyethylene Iron Oxides & Mica & Titanium Dioxide Calcium Aluminum Borosilicate & Titanium Dioxide & Silica & Iron Oxides & Tin Oxide Parfum / Fragrance Sodium Hydroxyde 32%	3.00% 0.50% 0.20% 0.80% 0.40%

Cooperative  
development  
SEPPIC-  
Labosphere**Procedure**

Prepare phase A.  
Add the phase B and shake strongly.  
When the gel is homogeneous, add phase C and homogenize.  
Add one by one the ingredients of phase D while mixing slowly.  
Add one by one the ingredients of phase E while mixing slowly.  
Add one by one the ingredients of phase F while mixing slowly.

**Characteristics**

Appearance	fluid black shower gel with golden exfoliating particles
pH	6.34
Viscosity 1M at RT	3 890 mPa.s, Brookfield RVT MR4, 20rpm
Stability*	1M at RT and 45° C

*Raw materials from SEPPIC***SEPIMAX™ ZEN****Polyacrylate Crosspolymer-6**

Powder polymer with a MAXIMUM resistance to electrolytes thanks to its high associative behaviour. Stable from pH 2 to 8, it enables the creation of formulas with a specific skin feeling: rich, velvety and elegant. It is now possible to formulate transparent aqueous gels, cream-gels and emulsions with any kind of active ingredients and to achieve ZEN.

**SOLAGUM™ AX****Acacia Senegal Gum & Xanthan Gum**

Combination of natural thickening polymers. It allows to formulate non-stringy translucent gels and can be used with hot or cold process. Validated by ECOCERT®.

**ORAMIX™ L30****Sodium Lauroyl Sarcosinate**

Suitable surfactant for even the most sensitive skin.

**PROTEOL™ APL****Sodium Cocoyl Apple Amino Acids**

Fruit surfactant, derived from apple juice essential amino-acids, for a gentle approach: gentle approach for the touch, for the skin & the eyes and also for the environment.

**ORAMIX™CG 110****Caprylic Capric Glucoside**

Non-ionic surfactant from vegetable origin. It is an ideal solubilizing agent for foaming products because it solubilizes essential oils, fragrances and preservatives but also boosts foam volume. Its mild cleansing effect is interesting for the formulation of make-up removers, especially for lotions. It is particularly used to emulsify and disperse molecules in cream-gels. Validated by ECOCERT®.

**ORAMIX™ NS10****Decyl Glucoside**


Very well-tolerated surfactant from vegetal origin, This gentle cleanser provides an abundant, stable foam. Validated by ECOCERT®.

**AQUAXYL™****Xylitylglucoside & Anhydroxylitol & Xylitol**

AQUAXYL™ moisturizes and restructures the skin by harmonizing the hydric flow of the skin. Water reserves are instantly boosted and water loss is reduced (in vitro and in vivo tests prove this efficacy). Validated by ECOCERT®.

*Other raw materials...*

- Disodium EDTA : **DISSOLVINE Na2 (UNIVAR)**
- Acrylates/C10-30 Alkyl Acrylate Crosspolymer : **Carbopol Ultrez 20 (GATTEFOSSE)**
- Methylisothiazolinone and iodopropynyl butylcarbamate : **Microcare MTI (THOR Personal Care)**
- CI 77499 (IRON OXIDES), MICA, CI 77891 (TITANIUM DIOXIDE) : **Colorona Mica Black (MERCK)**
- Calcium Aluminum Borosilicate, Titanium Dioxide, Silica, Iron Oxides, Tin Oxide: **Ronastar GOLDEN JEWEL (MERCK)**
- Fragrance : **COQUETTE**



EU07233 - 1205

All information contained herein is intended merely to demonstrate the utility of SEPPIC products, and should not be construed as granting license to practice any compositions or methods covered by a patent or a patent application. All information contained in this specific technical documentation is believed to be accurate and has been set up by SEPPIC according to its own described methods and processes. SEPPIC however does not assume any liability or risks involved in the use of its products for the preparation and the assessment of the hereinabove formulation since the condition of use are beyond its control. SEPPIC customer must insure that the duplication of the hereinabove formulation is not infringing any intellectual property rights and that it complies with any regulatory status.

\* Our stability protocols are available at your request.

www.seppic.com