




O/W Emulsion



- **White and fluid emulsion**
- **Packaging : flat bottle**
- **EO free moisturizer for men**
- **AQUAXYL™ is THE choice active for Hydro Addicts!!!**
Say “Yes” to “HydraConcept” technology and create a super-sealing hydro-lipid barrier!
- **SEPI NOV™ WEO easily stabilizes 20% oily phase and a natural preservative rich in electrolytes.**
- **Light and satin textures: MONTANOV™ L + SEPI NOV™ WEO association.**
- **97% natural oriain inaredients**



EU07254 - 1303

Formula		
A	Aqua / Water AQUAXYL™	Up to 100% 3.00%
B	Caprylic Capric Triglycerides MONTANOV™ L	20.00% 1.00%
C	SEPI NOV™ WEO	1.30%
D	Sodium Benzoate and Potassium Sorbate	1.00%

Procedure (Trimix)

Introduce phase A into the tank and heat up to 80°C. Heat phase B up to 80°C while mixing with a spatula. Then, add phase C. Maintain the agitation during 2 minutes to homogenize. Add (B+C) into A and emulsify. Cool down gradually (60°C, then 30°C) and check the emulsion. Add phase D and emulsify 3 minutes more. Cool down again (blade + anchor + propeller) and adjust pH if necessary with lactic acid at 45 %.

Characteristics	
Appearance	White and fluid O/W emulsion
pH	6.1
Viscosity 1M at RT	10 100 cPs Brookfield S3S6
Viscosity 1M at 45° C	7 400 cPs Brookfield S2S6
Viscosity recovery at RT (after 1M at 45° C)	15 600 cPs Brookfield S3S6
Stability*	1M at RT, 45° C, cycles

Raw materials from SEPPIC

AQUAXYL™

Xylitylglucoside and Anhydroxylitol and Xylitol
AQUAXYL™ moisturizes and restructures the skin by harmonizing the hydric flow of the skin. Water reserves are instantly boosted, water circulation is improved in all skin layers and water loss is reduced (in vitro and in vivo tests prove this efficacy). It's mechanism of action has been validated by cosmetogenomics. Ecocert and Natrue approved.

MONTANOV™ L

C14-22 Alcohols and C12-20 Alkyl Glucoside
Glucolipid emulsifier in harmony with nature. MONTANOV L is well-suited to formulate different textures (from sprayable to butter cream) no matter the nature or the quantity of fatty phase used. It stabilizes emulsions, and has a strong moisturizing power since it promotes liquid crystals which prevent the skin from dehydration (efficacy proven in vivo). Ecocert and Natrue approved.

SEPI NOV™ WEO

Hydroxyethyl Acrylate / Sodium Acryloyldimethyl Taurate Copolymer
Universal powder polymer compatible with Ethylene Oxide free formulas. Versatile, stabilizer with any type of oil, thickener, efficient with electrolytes. A sure win!

Other raw materials...

- Caprylic Capric Triglycerides : Triglycérides 5545 (**STEARINERIE DUBOIS**)
- Sodium Benzoate and Potassium Sorbate : Euxyl K712 (**SCHÜLKE & MAYER**)